


SELBY RURAL DISTRICT COUNCIL.



(INTERIM)

OF THE

Medical Officer of Health

For the Year 1942.

SELBY:

W. J. BELLERBY, PRINTER, BOOKSELLER, &c.

1943.

To:---

The Chairman and Members of the SELBY RURAL DISTRICT COUNCIL.

The Minister of Health has intimated that a short Interim Report only should be prepared for the year 1942.

W. BERTRAM HILL,

Medical Officer of Health.

INFECTIOUS DISEASE.

The usual Table (II) is appended showing the number of Notifications of acute Infectious Disease and the number of cases of Tuberculosis.

| or rapercurosis | 5. | Scarlet | Cerebro-Spinal | | | |
|---------------------|-------------|---------|-----------------|---|---------|--|
| | Diphtheria. | Fever. | Erysipelas. | | Fever. | |
| Average for 5 years | ears | | | | | |
| (1934 - 1938) | $1\cdot 2$ | 8 | 4 | | | |
| 1939 . | 5 | 15 | 1 | | <u></u> | |
| 1940 . | 4 | 2 | Married Married | | | |
| 1941 . | 8 | 1. | - market | 1 | | |
| 1942 . | 7 | 3 | | - | 1 | |

DIPHTHERIA IMMUNISATION.

Immunisation is being actively carried out in all the Schools in the District. 150 Children were immunised during the year.

TUBERCULOSIS.

| Notificatio | ns for | | | | | |
|-------------|--------|-------|-------|-------|-----------|---------------|
| Average | in | | | | Pulmonary | Non-Pulmonary |
| (1934—3 | 38) | • • • | • • • | • • • | 3.6 | 2 |
| 1989 | • • • | • ••• | | | 2 | 2 |
| 1940 | • • • | • • • | ••• | ••• | 3 | 1 |
| 1941 | • • • | | • • • | • • • | | |
| 1942 | • • • | • • • | • • • | • • • | | 2 |

MINOR INFECTIOUS DISEASES.

6 Cases of Measles were notified and 18 of Whooping Cough.

CASE RATE PER 1,000 LIVING OF ACUTE INFECTIOUS DISEASE.

| | | | = | - | | | |
|--------------|--------|-------|-------|-------|--------------------|-------|--------------------------|
| | | | | | England and Wales. | | Selby Rural District. |
| Typhoid Fey | /er | • • • | • • • | • • • | .01 | • • • | 0.00 |
| Cerebro-Spin | nal Fe | ver | • • • | • • • | .14 | ••• | ·15 |
| Scarlet Feve | r | • • • | • • • | • • • | $2 \cdot 19$ | • • • | .47 |
| Whooping C | lough | | • • • | . • | 1.73 | ••• | 1.9 |
| Diphtheria | • • • | • • • | • • • | • • • | 1.05 | • • • | 1.1 |
| Erysipelas | • • • | • • • | • • • | • • • | .30 | • • • | 0.00 |
| Small-pox | • • • | • • • | • • • | • • • | 0.00 | • • • | 0.00 |
| Measles | • • • | | • • • | • • • | 7.46 | | $\cdot 95$ |
| Pneumonia | • • • | • • • | • • • | • • • | 1.07 | | 0.00 |
| | | | | | | | |

GOVERNMENT EVACUATION SCHEME.

On the 31st December, 1940, there were in the District:—

| (a) | Unaccompanied Children | | 255 | |
|-----|---------------------------------|-------|-----|-------------------------|
| | Mothers (25) with Children (46) | | | |
| (c) | Mothers (2) with Children (4) | • • • | 6 | In Requisitioned Houses |
| | Others | | | |

YITAL STATISTICS.

| | | | | | y Rural istrict. | England and Wales, | | | |
|---|---------|----------|-------|-------|------------------|--------------------|--------------|--|--|
| Death Rate | • • • | • • • | • • • | 9·5 p | er 1,000 | • • • | 11.6 | | |
| Birth Rate | • • • | • • • | • • • | 13.8 | ,, | • • • | 15 ·8 | | |
| Zymotic Death | Rate | • • • | • • • | .00 | ,, | | | | |
| Pulmonary Tub | erculos | sis | • • • | .00 | ,, | | | | |
| Non-Pulmonary | Tuber | rculosis | | ·15 | ,, | | | | |
| Cancer Death H | Rate | • • • | • • • | 1.5 | ,, | | | | |
| Respiratory Dea | ath Rat | te | , | 1.1 | ,, | | | | |
| Infantile Morta | lity Ra | te | • • • | 22.9 | ,, | • • • | 49. | | |
| (i.e., Deaths under 1 year per 1,000 Births.) | | | | | | | | | |

SELBY RURAL DISTRICT.

Cases of Infectious Disease Notified during the Year 1942.

| | NUMBER OF CASES NOTIFIED. | | | | | | | REMOVED | | |
|------------------------------------|---------------------------|---------|------------------|-------------------|--------------------|--------------------|--------------------|-------------------|------------------------|-------|
| Notifiable Disease. | At all Ages—Years. | | | | | | | | | |
| NOTIFIABLE DISEASE. | At all Ages. | Under 1 | 1 and under 5 | 5 and under 15 | 15 and under 25 | 25 and under 45 | 45 and under 65 | 65 and upwards | TOTAL CASES TO HOSP | |
| | | | | | | | | | | |
| Small-pox | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • |
| Cholera (C) Plague (P) | | | . , | 1 | 1 | - • | 1 | • • | ••• | 7 |
| Diphtheria (including Membranous (| roup) | 7 | • • | 1 | 4 | • • | 1 | •• | 1 | 7 |
| Erysipelas Scarlet Fever | • • | 3 | • • | 2 | 1 | • • | • • | • • | ••• | 2 |
| 3 200 | • • | 0 | •• | 4 | | • • | • • | • • | | 2 |
| The Acres Theren | • • | • • | • • | ••• | •• | • • | • • | •• | ••• | * * * |
| Relapsing Fever (R) Continued Fev | er (C) | •• | • • | • • | • • | • • | • • | • • | •• | •• |
| Puerperal Pyrexia | 01 (0) | | • | • • | | • • | • • | •• | | |
| Cerebro-spinal Meningitis | | i. | | | | | 1 | | | |
| Poliomyelitis | • • | | | | | | | | | |
| Ophthalmia Neonatorum | • • | | | | | | | | | |
| Pulmonary Tuberculosis | | | | | | | | | | |
| Other forms of Tuberculosis | | 2 | | | 1 | | 1 | | | |
| Measles | | 6 | 1 | 1 | 4 | | | | | |
| Whooping Cough | | 18 | 1 | 9 | 8 | | | | | 1 |
| Primary Pneumonia | | | | | | | | | | |
| Influenzal Pneumonia | • • | | | | | | | | | |
| Malaria | | | | | • • | • • ' | | | | |
| Dysentery | | | | • • | • • | | | | | |
| Trench Fever | • • | | | | • • | | | | | |
| Acute Polio Encephalitis | • • | | | ,• • | • • | • • | • • | | | • • |
| Encephalitis Lethargica | • • | • • | • • | • • | • • | • • | • • | • • | | • • |
| Totals | | 37 | 2 | 13 | 18 | •• | 3 | | 1 | 9 |